



# Nevada Department Of Corrections

## Administrative Regulation Control Sheet

AR Number:	AR 453
AR Title:	Natural Disaster Plan

## AR Revision History

Revision Details	Effective Date
This AR was reviewed by the Subject Matter Expert and it was determined that no changes are required as of this date.	10/20/14
No Additional revisions beyond this line.	---

  
\_\_\_\_\_  
Director

  
\_\_\_\_\_  
Date

**NEVADA DEPARTMENT OF CORRECTIONS  
ADMINISTRATIVE REGULATION  
453**

**NATURAL DISASTER PLAN**

**Supersedes:** AR 453 (Temporary, 09/14/09)  
**Effective Date:** 11/13/09

**AUTHORITY:** NRS 209.131

**RESPONSIBILITY**

1. The Warden/Facility Managers are responsible to develop and maintain a natural disaster plan for their institutions and facilities as part of their Emergency Response Manuals (4-4224).
2. Supervisors will have knowledge of and comply with this procedure.

**453.01 NATURAL DISASTER PLAN**

1. Each institution/facility will develop a Natural Disaster Plan to be located in their Emergency Response Manuals. The natural disaster plan will contain:
  - A. Procedures on notification, evacuation, and reliance on outside authorities.
  - B. A description of the operation of any notification system provided by local authorities regarding impending natural disasters -- example- mandatory National Weather Services broadcasts or local law enforcement frequencies for severe weather warning.
  - C. A process of notification of the Department's Administrators, as well as other local and state organizations that may be of assistance.
    - Λ.
  - D. A description of any internal safety or precautionary measures that can be taken in the event of specific disasters.
  - E. Information on post and work assignments that may be necessary to operate with limited staff relief.
  - F. Emergency medical notifications.
  - G. Specifics unique to the institution/facility.
2. Clean up issues will be determined by the nature and extent of the damage.
  - A. Staff will be identified to document damage for insurance purposes and to direct repair work.

B. The Warden will determine the priority of repairs.

**APPLICABILITY**

1. This AR requires an Operational Procedure (OP) as part of the Emergency Response Manual.
2. This AR requires an audit.


**REFERENCES**


ACA Standards, 4<sup>th</sup> Edition, 4-4224

  
\_\_\_\_\_  
Howard Skolnik, Director

  
\_\_\_\_\_  
Date

AR 453, Natural Disaster Plan was reviewed by the Executive AR Policy Panel on November 18, 2013, and it was determined that no changes are required to this AR at this time.

  
\_\_\_\_\_  
James G. Cox, Director

  
\_\_\_\_\_  
~~Director~~  
Date