

What you need to know about coronavirus disease 2019 (COVID-19)

What is coronavirus disease 2019 (COVID-19)?

Coronavirus disease 2019 (COVID-19) is a respiratory illness that can spread from person to person. The virus that causes COVID-19 is a novel coronavirus that was first identified during an investigation into an outbreak in Wuhan, China.

Can people in the U.S. get COVID-19?

COVID-19 is spreading from person to person in China, and limited spread among close contacts has been detected in some countries outside China, including the United States. At this time, however, this virus is NOT currently spreading in communities in the United States. Right now, the greatest risk of infection is for people in China or people who have traveled to China. Risk of infection is dependent on exposure. Close contacts of people who are infected are at greater risk of exposure, for example health care workers and close contacts of people who are infected with the virus that causes COVID-19. CDC continues to closely monitor the situation.

Have there been cases of COVID-19 in the U.S.?

Yes. The first case of COVID-19 in the United States was reported on January 21, 2020. The current count of cases of COVID-19 in the United States is available on CDC's webpage at <https://www.cdc.gov/coronavirus/2019-ncov/cases-in-us.html>.

How does COVID-19 spread?

The virus that causes COVID-19 probably emerged from an animal source, but now it seems to be spreading from person to person. It's important to note that person-to-person spread can happen on a continuum. Some diseases are highly contagious (like measles), while other diseases are less so. At this time, it's unclear how easily or sustainably the virus that causes COVID-19 is spreading between people. Learn what is known about the spread of newly emerged coronaviruses at <https://www.cdc.gov/coronavirus/2019-ncov/about/transmission.html>.

What are the symptoms of COVID-19?

Patients with COVID-19 have had mild to severe respiratory illness with symptoms of

- fever
- cough
- shortness of breath

What are severe complications from this virus?

Many patients have pneumonia in both lungs.

How can I help protect myself?

The best way to prevent infection is to avoid being exposed to the virus that causes COVID-19.

There are simple everyday preventive actions to help prevent the spread of respiratory viruses.

These include

- Avoid close contact with people who are sick.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Wash your hands often with soap and water for at least 20 seconds. Use an alcohol-based hand sanitizer that contains at least 60% alcohol if soap and water are not available.

If you are sick, to keep from spreading respiratory illness to others, you should

- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.
- Clean and disinfect frequently touched objects and surfaces.

What should I do if I recently traveled to China and got sick?

If you were in China within the past 14 days and feel sick with fever, cough, or difficulty breathing, you should seek medical care. Call the office of your health care provider before you go, and tell them about your travel and your symptoms. They will give you instructions on how to get care without exposing other people to your illness. While sick, avoid contact with people, don't go out and delay any travel to reduce the possibility of spreading illness to others.

Is there a vaccine?

There is currently no vaccine to protect against COVID-19. The best way to prevent infection is to avoid being exposed to the virus that causes COVID-19.

Is there a treatment?

There is no specific antiviral treatment for COVID-19. People with COVID-19 can seek medical care to help relieve symptoms.





What is the Right Way to Wash Your Hands?

1. Wet your hands with clean, running water (warm or cold) and apply soap.
2. Rub your hands together to make a lather and scrub them well; be sure to scrub the backs of your hands, between your fingers, and under your nails.
3. Continue rubbing your hands for at least 20 seconds. Need a timer? Hum the "Happy Birthday" song from beginning to end twice.
4. Rinse your hands well under running water.
5. Dry your hands using a clean towel or air dry them.

See Handwashing: Clean Hands Saves Lives (www.cdc.gov/handwashing/)

5 Tips to Prevent Norovirus From Spreading

1. Practice proper hand hygiene

Always wash your hands carefully with soap and water—

- after using the toilet and changing diapers, and
- before eating, preparing, or handling food.

Alcohol-based hand sanitizers can be used in addition to hand washing. But, they should not be used as a substitute for washing with soap and water.

2. Wash fruits and vegetables and cook seafood thoroughly

Carefully wash fruits and vegetables before preparing and eating them. Cook oysters and other shellfish thoroughly before eating them.

Be aware that noroviruses are relatively resistant. They can survive temperatures as high as 140°F and quick steaming processes that are often used for cooking shellfish.

Food that might be contaminated with norovirus should be thrown out.

Keep sick infants and children out of areas where food is being handled and prepared.

3. When you are sick, do not prepare food or care for others

You should not prepare food for others or provide healthcare while you are sick and for at least 2 to 3 days after you recover. This also applies to sick workers in schools, daycares, and other places where they may expose people to norovirus.

4. Clean and disinfect contaminated surfaces


After throwing up or having diarrhea, immediately clean and disinfect contaminated surfaces. Use a chlorine bleach solution with a concentration of 1000–5000 ppm (5–25 tablespoons of household bleach [5.25%] per gallon of water) or other disinfectant registered as effective against norovirus by the Environmental Protection Agency (EPA).

5. Wash laundry thoroughly

Immediately remove and wash clothes or linens that may be contaminated with vomit or stool (feces).

You should—

- handle soiled items carefully without agitating them,
- wear rubber or disposable gloves while handling soiled items and wash your hands after, and wash the items with detergent at the maximum available cycle length then machine dry them.



Visit CDC's Norovirus Web site at www.cdc.gov/norovirus for more information.

Norovirus Illness: Key Facts

Norovirus—the stomach bug

Norovirus is a highly contagious virus. Norovirus infection causes gastroenteritis (inflammation of the stomach and intestines). This leads to diarrhea, vomiting, and stomach pain.

Norovirus illness is often called by other names, such as food poisoning and stomach flu. Noroviruses can cause food poisoning, as can other germs and chemicals. Norovirus illness is not related to the flu (influenza). Though they share some of the same symptoms, the flu is a respiratory illness caused by influenza virus.



Anyone can get norovirus illness

- Norovirus is the most common cause of acute gastroenteritis in the U.S.
- Each year, norovirus causes 19 to 21 million cases of acute gastroenteritis in the U.S.
- There are many types of norovirus and you can get it more than once.

Norovirus illness can be serious

- Norovirus illness can make you feel extremely sick with diarrhea and vomiting many times a day.
- Some people may get severely dehydrated, especially young children, the elderly, and people with other illnesses.
- Each year, norovirus causes 56,000 to 71,000 hospitalizations and 570 to 800 deaths, mostly in young children and the elderly.

Norovirus spreads very easily and quickly

- It only takes a very small amount of norovirus particles (fewer than 100) to make you sick.
- People with norovirus illness shed billions of virus particles in their stool and vomit and can easily infect others.
- You are contagious from the moment you begin feeling sick and for the first few days after you recover.
- Norovirus can spread quickly in enclosed places like daycare centers, nursing homes, schools, and cruise ships.
- Norovirus can stay on objects and surfaces and still infect people for days or weeks.
- Norovirus can survive some disinfectants, making it hard to get rid of.

Norovirus can spread in many ways

Norovirus can spread to others by—

- having direct contact with an infected person, for example, touching an infected person while caring for them,
- eating food or drinking liquids that are contaminated with norovirus,
- touching objects that have norovirus on them and then putting your fingers in your mouth, for example, touching a countertop that has vomit droplets on it and then putting your fingers in your mouth and
- sharing utensils or cups with people who are infected with norovirus.

There's no vaccine to prevent norovirus infection and no drug to treat it

- Antibiotics will not help with norovirus illness because antibiotics do not work on viruses.
- When you have norovirus illness, drink plenty of liquids to replace fluid loss and prevent dehydration.
- If you or someone you are caring for is dehydrated, call a doctor.